



Safety Data Sheet

Prepared according to GHS

1. Identification

| | |
|--------------------------------------|---|
| Product Name | Heavy Duty Mono-Grade Diesel Engine Oil |
| Product Code(s) | 7191 |
| Recommended Use | Diesel Engine Oil |
| Company | American Refining Group, Inc. 77 North Kendall Avenue Bradford, PA 16701 www.amref.com msds@amref.com |
| Emergency Telephone Number(s) | Chemtrec 1-800-424-9300 (24 HRS) ARG: 814-368-1297 (24 HRS) |
| Revision Date | 4/1/2015 |

2. Hazards Identification

| | |
|---------------------------------|--|
| GHS Classification | This product is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
| Signal Word | Not applicable |
| Hazard Statements | Not applicable |
| Other Hazard Information | Not applicable |
| GHS Pictogram | Not applicable |
| Precautionary Statements | Not applicable |

3. Composition / Information on Ingredients

| CAS No. | Component | Common Name | Percent |
|--|-----------|-------------|---------|
| <i>This product does not contain ingredients that are hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)</i> | | | |

4. First Aid Measures

| | |
|-------------------|--|
| Eyes | Check for and remove any contact lenses. Flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation develops. |
| Skin | In case of contact, flush skin with plenty of soap and water while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation develops. |
| Inhalation | Move exposed person to fresh air. Get medical attention if irritation develops. |
| Ingestion | First aid is normally not required. Get medical attention if discomfort develops. |

4. First Aid Measures

Note to Physicians

No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been ingested or inhaled.

5. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions

Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

Shipping and Storing Procedures

Keep container tightly closed in a dry place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

8. Exposure Controls / Personal Protection

Component Exposure Limits*

When mists/aerosols can occur the following are recommended: 5 mg/m³ - ACGIH TLV (inhalable fraction), 5 mg/m³ - OSHA PEL.

*Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

8. Exposure Controls / Personal Protection

| | |
|-------------------------------|--|
| Engineering Controls | Material should be handled in enclosed vessels and equipment only if aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
| Eye/Face Protection | Safety glasses |
| Skin Protection | Normal work gloves are appropriate |
| Respiratory Protection | No special requirements under ordinary conditions of use and with adequate ventilation. |
| General Hygiene | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. |

9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

| | | | |
|------------------------------------|---------------------|---|---------------|
| Appearance | Dark Yellow - Amber | Flammability | Not available |
| Physical State | Liquid | Upper/Lower Flammability Limits | Not available |
| Odor | Mild | Vapor Pressure (kPa at 20°C) | 0 |
| Odor Threshold | Not available | Vapor Density | Not available |
| pH | Not available | Relative Density (lbs/gal) | 7.2-7.5 |
| Melting/Freezing Point (°F) | Not available | Water Soluble | No |
| Initial Boiling Point (°F) | Not available | Partition Coefficient: n-octanol/water | Not available |
| Boiling Range (°F) | Not available | Auto-ignition Temperature (°F) | Not available |
| Flash Point (°F) | 365-480 | Decomposition Temperature (°F) | Not available |
| Evaporation Rate | Not available | Viscosity (40°C mm²/s) | 36.5-227 |

10. Chemical Stability & Reactivity Information

| | |
|---|--|
| Reactivity | Polymerization will not occur |
| Chemical Stability | Stable under normal conditions |
| Hazardous Reactions | None, under normal processing. |
| Conditions to Avoid | High temperatures |
| Incompatibility | Strong acids and oxidizing materials |
| Hazardous Decomposition Products | Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. |

11. Toxicological Information

Acute Exposure

11. Toxicological Information

| | |
|-------------------------------|---|
| Respiratory Irritation | Not expected to pose respiratory irritation. An inhalation hazard may only arise if product is aerosolized or if heated up. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and upper respiratory tract. Based on data from similar materials. |
| Eye Irritation | Not expected to cause irritation under normal use. |
| Skin Irritation | Not expected to cause irritation under normal use. |
| Sensitization | Not expected to cause skin or respiratory sensitization. |
| Aspiration Hazards | Not expected to pose an aspiration hazard if swallowed. |

Chronic Exposure

Target Organ Effects No data available to indicate product or components at greater than 1% are chronic health hazards.

Carcinogenicity No data available to indicate product or any components present at greater than .1% are carcinogenic.

Mutagenicity No data available to indicate product or any components present at greater than .1% are mutagenic or genotoxic.

Reproductive Toxicity No data available to indicate either product or components present at greater than .1% that may cause reproductive toxicity.

Teratogenicity No data available to indicate product or any components contained at greater than .1% may cause birth defects.

Component Analysis – LD50 / LC50

| | |
|----------------------------|-------------|
| Inhalation LC50 Rat | >20 mg/L 4h |
| Oral LD50 Rat | >5000 mg/kg |
| Dermal LD50 Rabbit | >2000 mg/kg |

12. Ecological Information

Component Analysis- Ecotoxicity – Aquatic Life

| Duration/Test/Species | Concentration/Conditions |
|-----------------------|--------------------------|
| 96 Hr LC50 | Not available mg/L |
| Pimephales promelas | |

| | |
|--|----------------|
| Persistence & Degradability | Not determined |
| Bioaccumulation Potential | Not determined |
| Soil Mobility | Not determined |
| Other Adverse Effects | Not determined |

13. Disposal Considerations

Disposal Instructions

| | |
|-------------|---------------|
| New Zealand | Not available |
| Canada | Listed |
| Switzerland | Not available |
| Korea | Listed |
| Philippines | Listed |
| China | Listed |
| Taiwan | Not available |

| |
|------------------------------|
| 16. Other Information |
|------------------------------|

US NFPA Ratings

| Health | Fire | Reactivity |
|--------|------|------------|
| 0 | 1 | 0 |

HMIS Ratings

| Health | Fire | Physical Hazards |
|--------|------|------------------|
| 0 | 1 | 0 |

Revision Date 23 May 2017

Revision Reason New SDS

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS